


2024



NATIONAL 2-WAY



PREMIUM AUDIO SOLUTIONS



10 Years In Business

Committed 2 Excellence, Committed 2 You

N2W brings a wealth of experience in the wholesale communications accessory market, both locally and globally. We recognize the significance of fostering mutually beneficial relationships between you and your customers. Our products, boasting top-notch quality, rival OEM accessories at a fraction of the cost. With our extensive product line, you can elevate your profitability while providing premium audio options.

Radio dealers express their extreme enthusiasm for collaborating with N2W.

Table Of Contents

Table Of Contents.....	3	Mil Spec Speaker Mic. 8 Active Noise Canceling	42-43
How To Read Our Stock Numbers.....	4	Wireless Choice™ PTT	44-45
Bluetooth Speaker Mic.	6-7	Available Cable Lengths	46
Wireless Pendant	8	Receive Only Earpieces	47
Product Branding & Engraving.....	9	Microslide In-Ear Earpieces.....	48-49
Braided Fiber Cloth	10-11	Hi-Def In Ear Receive Only	50-52
Swivel Slim Earpieces	12-13	C-Ring Boom Noise Canceling Mic.....	53
SnapLock System PTT/Mic.....	14-16	Hi-Def - Lightweight In-Ear Headset.....	54
Acoustic Tube Earpieces.....	17	Over & Behind Head - Lightweight Headsets	55
Earhook Earpieces.....	18	Lightweight Headsets.....	56
D, C Ring & Ear Bud Earpieces	19	Over & Behind Head - Lightweight Headsets	57-57
Swivel Earpieces.....	20	Heavy Duty Headsets	58
Retail Swivel Earpieces	21	Heavy Duty Headsets - Behind The Head.....	59
ECO Priced Earpieces.....	22-23	Hirose™ Quick Disconnect Adapters & Accessories	60-61
Wrap Tight Adjustable Sizing Earpieces.....	24-25	Chargers.....	62-63
Touch Free Hands Free PTT	26-27	Acoustic Tube Ear Tips.....	64
Snaplock White Series.....	28-29	Headset Mic. Foams & Ear Pads.....	65
N•ear.....	30-37	Adapters & Hirose	66
Speaker Microphones	38-39	Battery & Speaker Mic. Clips	67
Speaker Microphones Speaker Mic. 6.....	40-41	Accessory Connector Chart.....	68-75

How To Read Our Stock Numbers

Earpieces

AT	Acoustic Tube
AT1W	Acoustic Tube 1 Wire
AT1W-M	Acoustic Tube 1 Wire with
ATS	Acoustic Tube Straight SWVL Swivel
DR	D-Ring
DRA	D-Ring Adjustable
EB	Earbud
EH	Ear Hook
EHLG	Ear Hook Large
SL	SnapLock
SWVL	Swivel

Receive Only Earpieces

ROC	Receive Only Coiled Wire
ROS	Receive Only Straight Wire
ATROC	Acoustic Tube Coil

Earpiece Type

+	Braided Fiber
1W	1 Wire In-Line PTT
1WB	1 Wire Lines Out Bottom Of PTT
2W	2 Wire
3W	3 Wire
AT+2W	Acoustic Tube Braided 2 Wire

Speaker Mics

SM	Speaker Mic
W	Water Proof
NC	Noise Canceling
L	Long

Headsets

HS	Headset
HSS	Headset Single Ear
HSD	Headset Double Ear
HSB	Headset Behind Head
HSBHD	Headset Behind Head
HSIE	Heavy In Ear

Parts

AD	Adapter
ETIP	Ear Tip
BC	Belt Clip


BREAST CANCER AWARENESS

YOUR AMAZING CONTRIBUTION:

4 1 6 RESEARCH HOURS



Thank You!



GET MORE FREEDOM WITH



Speaker Mic 7 Now Wireless

Micro
USB

Indicator Light



Torch LED



Volume Control



3.5mm Jack



IP67 Protection



Equipped with advanced Bluetooth technology, pairing your device is a breeze. Simply connect it to your compatible device and experience crystal-clear audio with no compromise in quality.

Wireless Speaker Mic.

Bluetooth PTT with 3.5mm jack for earphone



Function and Feature

- Micro USB charging port
- Indication LED, Blue/Red
- Torch LED
- Volume control
- Multifunction button, answer/end call
- 3.5mm earphone jack
- Ingress protection level IP67
- Heavy duty belt clip
- Optional dock charger

Specification:

- Operating Temp: $-20^{\circ}\pm 2C \sim 50^{\circ}\pm 2C$
- Approx. Weight: 25g
- Size 60mm x 28mm x 15mm
- Bluetooth v5.0
- Echo cancellation, noise reduction
- High Quality DAC, Qualcomm CVC built-in
- 80MHz RISC MCU and 80MIPS Kalimba DSP
- Fast Current (260mA) battery charge
- HSP / HFP / A2DP / AVRCP / SPP/ BLE profile
- Support AES-128 and ECC-256
- PTT function: built-in
- Talking Range: Bluetooth class 2, 10 meters
- Display LED: Blue and Red
- DC Current: 21mA (Average)
- Battery: 260mAH rechargeable

Dock charger (optional)

- Connects up to 10 single chargers with one power cord.
- Charging time is 2.5 hours.



Supported devices:

Icom / Sepura / Kenwood / Hytera / IOS/Android PTT apps (e.g. Zello / Kodiak / Wave / ESchat / Sonim etc.) Optional adaptor dongle for two way radios (please inquire for more details on compatibility).

Wireless Pendant PTT & Mic.

Bluetooth PTT with 3.5mm jack for earphone

NEW



Function & Features

- 3.5mm earphone port
- Indication LED, Blue/Red/Purple
- Volume control
- Multifunction button, answer/end call
- Ingress protection level IP67
- Belt clip
- Magnetic charging cable
- Optional dock charger

Specification:

- Operating Temp: $-20^{\circ}\pm 2C \sim 50^{\circ}\pm 2C$
- Approx. Weight: 25g
- Size 60mm x 28mm x 15mm
- Bluetooth v5.0
- Echo cancellation & noise reduction
- High Quality DAC, Qualcomm CVC built-in
- 80MHz RISC MCU and 80MIPS Kalimba DSP
- Fast Current (260mA) battery charge
- HSP / HFP / A2DP / AVRCP / SPP/ BLE profile
- Support AES-128 and ECC-256
- PTT function: built-in
- Talking Range: Bluetooth class 2, 10 meters
- Display LED: Blue & Red
- DC Current: 21mA (Average)
- Battery: 260mAH rechargeable




Dock charger (optional)

- Connects up to 10 single chargers with one power cord.
- Charging time is 2.5 hours.



Supported devices:

Icom / Sepura / Kenwood / Hytera / IOS/Android PTT apps (e.g. Zello / Kodiak / Wave / ESchat / Sonim etc.) Optional adaptor dongle for two way radios (please inquire for more details on compatibility)



BRANDING

LASER, STICKERS & SILK-SCREEN

LASER AND STICKERS ORDERS SHIPPED IMMEDIATELY UPON ORDER






HOME OF THE ORIGINAL

BRAIDED FIBER CLOTH®

EARPIECES

3X STRONGER

90 POUND PULL-STRENGTH



Braided Fiber Cloth®

Braided Fiber Cloth® cords and PTT's are available in every earpiece in our catalog. Users love the way it lays on the body and how strong they are.

3X STRONGER

Acoustic Tube



C-Ring

Swivel

Ear Hook

Adj. D Ring




Available Setups

- 1-Wire Kit
- 2-Wire Kit
- Snaplock Earpiece System

SWIVEL SLIM

EARPIECES

COMFORTABLE
SLEEK & SLIM SOLUTION



Swivel Slim Earpieces

Braided Fiber Cloth® Swivel Slim 1 Wire

SWVLSLIM+1W

- Slim profile
- Tangle-free
- Enhanced comfort
- Slim in-line PTT & microphone with added shielding



Braided Fiber Cloth® Swivel Slim Boom 1 Wire

SWVLSLIMBOOM+1W

- Premium Flexible Boom Mic.
- Tangle-free
- Enhanced comfort
- A straight through slim in-line PTT



SnapLock SWVL SLIM

SL-SWVLSLIM



Receive Only SWVL SLIM


SWVLSLIMROC30



SNAPLOCK® EARPIECE SYSTEM

1 WIRE | 2 WIRE | 3 WIRE

AVAILABLE IN:
BRAIDED FIBER CLOTH
OR STANDARD RESIN LINE



SnapLock System PTT/Mic.

Braided Fiber Cloth® SnapLock 1 Wire

SL+1W



- Improved strength and durability
- Tangle-free
- A straight through in-line PTT / microphone with added shielding
- With male SnapLock connector

Braided Fiber Cloth® SnapLock 1 Wire

SL+1WB



- Improved strength and durability
- Tangle-free
- With male SnapLock connector

High-Quality SnapLock® Metal-to-metal connector



Braided Fiber Cloth® SnapLock 2 Wire

SL+2W



- Improved strength and durability
- Tangle-free
- Noise canceling premium microphone with clip-on PTT
- With male SnapLock connector

SnapLock® 2 Wire

SL2W

- Clip-on PTT with microphone
- With male SnapLock connector



SnapLock® 1 Wire

SL1W

- A straight through in-line PTT with microphone
- With male SnapLock connector



KEVLAR Cords on All Earpieces

- Industry-leading 90lb pull-strength
- Specialized cable for flexibility in various temperature environments

- Molded stress relief at connector

SnapLock® System Earpieces

1 or 2 Wire PTTs Braided Fiber® or Resin Cord



SnapLock In-Ear Hi-Def

SL-HD+IEG Gel Tip
SL-HDIEF Foam Tip



SnapLock Earhook

SL-EH Standard
SL-EHLG Large speaker



SnapLock Swivel

SL-SWVL



SnapLock D&C-Ring

SL-DR Adjustable
SL-DR Standard
SL-CR C-Ring



SnapLock Hi-Def Acoustic Tube

SL-ATHD+ Knowles Speaker



SnapLock Acoustic Tube

SL-AT Premium Acoustic Tube
SL-ATR Economically priced for retail and hospitality



SnapLock Covert Ear Tips

SL-ET+2-W White

SL-ET+2-B Black



SnapLock 3.5 Connector

SL-F3.5 Female

SL-M3.5 Male



Acoustic Tube Earpieces

Braided Fiber Cloth® Acoustic Tube 1 Wire

AT+1W

- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- A straight through in-line PTT / microphone with added shielding



Braided Fiber Cloth® Acoustic Tube 2 Wire

AT+2W

- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- Noise canceling premium microphone



Acoustic Tube 1 Wire

AT1W


- A straight through in-line PTT with microphone
- Surgical tubing with UV protection



Acoustic Tube 2 Wire

AT2W

- Clip-on PTT with microphone
- Surgical tubing with UV protection



Acoustic Tube 3 Wire

AT3W

- Surgical tubing with UV protection
- Palm PTT
- Discreet clip-on microphone



Earhook Earpieces

Braided Fiber Cloth® Ear Hook 1Wire

EH+1W

- Improved strength and durability
- Tangle-free
- Enhanced comfort
- A straight through in-line PTT/ microphone with added shielding



Braided Fiber Cloth® Ear Hook 2 Wire

EH+2W

- Improved strength and durability
- Tangle-free
- Noise canceling premium microphone with clip-on PTT



Ear Hook 1 Wire

EH1W

- A straight through in-line PTT with microphone



Ear Hook 2 Wire

EH2W

- Clip-on PTT with microphone



Ear Hook with large speaker

EHLG1W

- Oversized Ear Hook speaker
- A straight through in-line PTT with microphone



D, C Ring & Ear Bud Earpieces

D-Ring Adjustable 1 Wire

**DR1W
DRA1W**

- A straight through in-line PTT with microphone



C-Ring 1 Wire

**CR1W
CR+1W**

- A straight through in-line PTT with microphone



Ear Bud 1 Wire

EB1W

- A straight through in-line PTT with microphone



Swivel Earpieces

Braided Fiber Cloth® Swivel 1 Wire

SWVL+1W

- Improved strength and durability
- Tangle-free
- A straight through in-line PTT
- Enhanced comfort
- Worn outside ear increased hygiene for multi-users



Swivel 1 Wire

SWVL1W

- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear increased hygiene for multi-users



Swivel 2 Wire

SWVL2W

- Clip-on PTT with microphone
- Enhanced comfort
- Worn outside ear increased hygiene for multi-users



Retail Swivel Earpieces (Coiled Wire)



SMALLER PTT & COILED CORD



Motorola 2 Pin (MA)



Kenwood 2 Pin (K)



Kenwood PKT-23 (K2)

ECO PRICE 1-YEAR WARRANTY

25% TO 35% LOWER PRICING



ECO Pricing Earpieces

Ear Hook 1 Wire

EH1WB(eco)

- Lines out Bottom PTT with Microphone



Swivel 1 Wire

SWVL1WB(eco)

- Lines out Bottom PTT with Microphone



D-Ring 1 Wire

DR1WB(eco)

- Lines out Bottom PTT with Microphone



Acoustic Tube 1 Wire

AT1WB(eco)

- Lines out Bottom PTT with Microphone



Acoustic Tube 2 Wire

AT2W(eco)

- 25% 35% Lower Pricing
- Quality Microphone
- Loud Speaker
- Strong 360 Degree Rotating Clip
- Replaceable Parts
- 1 Year Warranty



WRAP TIGHT

ADJUSTABLE
SIZING EARPIECE

ADJUSTABLE CORD LENGTH FOR
DIFFERENT SIZE PEOPLE

Wrap Tight Adjustable Sizing Earpieces



Why Choose Wrap Tight?

- Make it long or make it short
- Wrap-up the extra line for perfect fit
- Premium in-line microphone
- Strong rotating clothing clip



Swivel Wrap-Tight

SWVLWT1W

- A straight through in-line PTT with microphone



Ear Hook Wrap-Tight

EHWT1W

- A straight through in-line PTT with microphone

KEVLAR
Cords on All Earpieces

- Industry-leading 90lb pull-strength
- Specialized cable for flexibility in various temperature environments

- Molded stress relief at connector



TOUCH FREE

HANDS FREE PTT

AVAILABLE WITH:
SNAPLOCK EARPIECES

AVAILABLE IN:
1 OR 2 WIRE KITS



Touch Free Hands Free PTT

Wristband Easily Snaps On

The silicone material allows for a fast snap onto your wrist easily for a clean comfortable fit.

Touch-Free Available in SnapLock & all of our 1 & 2 Wire PTT's



Construction / Mechanics

Workers with thick gloves or greasy hands can wear the wrist sensor PTT to activate without touching the earpiece PTT.



Healthcare Industry

Medical teams that require sanitation at all times can wear the wrist sensor PTT to speak without touching the earpiece PTT.




SNAPLOCK[®]

WHITE SERIES



FOR USERS THAT
WANT A LIGHTER LOOK




ITEM # SL-EHW




ITEM # SL-CRW

BRAIDED FIBER **OR** RESIN LINES



ITEM # SL+1WW



ITEM # SL-1WW



ITEM # SL+1WMIC-3.5



ITEM # SL-1WMIC-3.5



N•ear®

THE MOST COMFORTABLE EARPIECE IN RADIO



THE FUTURE IS
N•ear



0% Ear
Fatigue




Microspeaker
Technology



360° Situational
Awareness




Crystal Clear
Communication




N•EAR 360™ ORIGINAL

The N•ear 360™ Original earpiece is ear-specific and features a patented bend that offers a firm and secure hold. With a precise fit for either your left or right ear, the N•ear 360™ Original guarantees comfort and performance.



N•EAR 360 FLEXO™

Experience the best of both worlds with the N•ear 360 Flexo™. With the same comfort and durability as the N•ear 360™ Original, the Flexo offers a game-changing feature: the ability to effortlessly switch between the left and right ears.



N•EAR 360 FLEXO DYNAMIC™

The N•ear 360 Flexo Dynamic™ is designed for those who prioritize affordability. This model offers the same flexible bend that can be worn on either the left or right ear. By using a high-quality dynamic speaker versus an armature speaker, we successfully lowered the cost while maintaining crystal clear communication.

EXPERIENCE

THE LUXURY OF ABSOLUTE COMFORT

Indulge in the unparalleled comfort and cutting-edge technology that eliminates ear fatigue, ensuring a luxurious experience. Immerse yourself in crystal-clear communication, seamlessly integrating advanced features for an unparalleled audio experience.



N•EAR PROTECTR™ EAR PLUGS

THE FUTURE IS
N•ear




Compatible with
N•ear earpieces



Customized
Option Available



Dual Ear
Version Available



Contributes to
Hearing Health

PROTECT
YOUR GREATEST ASSET

Immerse yourself in the unrivaled protection and advanced technology of the Protectr™. Safeguard your hearing without compromising and sound quality on comfort from the range to the field. Protecting you from impulse sound up to 3dB of attenuation with our ANI IPIL certified filters.



N•EAR 360 FLEXO™ WITH UNIVERSAL EAR MOLDS



N•EAR 360 PROTECTR™
UNIVERSAL EAR MOLDS

Explore 360° situational awareness with N•ear Protectr™ Universal Size Ear Molds. Crafted for comfort, these molds offer a secure fit. The N•ear Protectr™ platform allows for easy tech unit changes to meet diverse audio needs. But that's not all combine the Protectr™ line with the cutting-edge N•ear earpieces.



N•EAR 360 FLEXO™ &
CUSTOMIZED EAR MOLDS

N•ear offers customized ear molds that fit perfectly to your ears. Combine the versatile 360 Flexo™ earpiece, with the Protectr™ ear molds, featuring multi-mode shooting filters for enhanced protection. The N•ear Protectr™ platform allows you to change the tech unit at any time to fit versatile needs.



N•EAR PROTECTR™
EAR PLUGS

The N•ear Protectr™ series offers a comprehensive selection of hearing protection solutions. Among them, the Shooting Multi-mode and Shooting Xtreme 25, designed to guard against damage caused by peak sound pressure levels from automatic fire, gunshots, artillery, and explosions.

BOOM MIC. STABILIZER™

DISCOVER THE MOST **COMFORTABLE** HEADSET IN DISPATCH.



DISCOVER

A NEW WAY TO **DISPATCH**

The New N-ear Boom Mic. Stabilizer™ delivers an enhanced audio experience and unparalleled comfort for dispatch personnel, particularly when utilizing in conjunction with the N-ear 360™ Earpiece.



Comfortable Behind The Head Design

Experience the comfort of a sleek behind the head design. Offering a comfortable wearing experience for extended use, while reducing discomfort and fatigue.



Tailored & Versatile

Enjoy unparalleled comfort tailored to your preferences. The headset's adjustable features empower users to effortlessly customize the fit based on their head size, opt for a left or right-sided boom microphone position, and utilize the 3.5mm connection to employ any N-ear 360 Earpiece or their preferred earpiece.



Fashionable & Stylish

Discover a modern, stylish & sleek appearance for those who prioritize both functionality and fashion. Maintain a polished, professional appearance & preserve your hairstyle with the absence of a headband over the crown of the head.



Compatibility with Multiple Systems

The New N-ear Boom Mic. Stabilizer™ can be seamlessly integrated into various Push-To-Talk (PTT) solutions, including the Choice™ PTT with connectors designed for compatibility with different radio models. Wireless PTT options are also available, providing flexibility in communication setups.



THE FUTURE IS
Near



Wireless
Capability*



Water
Resistant*



90 lb.
Pull Strength



Lays
Tangle-Free




CHOICE™ PTT/MIC.

Embracing the CHOICE™ PTT/Mic. facilitates a seamless transition away from traditional speaker mics, introducing a communication setup that is both lighter and more flexible. For users accustomed to earpieces directly linked to a speaker mic, the CHOICE™ PTT/Mic. operates similarly.



**CHOICE™ PTT/MIC.
WATER RESISTANT**

The CHOICE™ PTT/Mic. introduces advanced features, such as seamless pairing with a Bluetooth-compatible PTT, and is engineered with a high level of durability, boasting water resistance with an impressive IP67 rating.



WIRELESS PTT/MIC. BUTTON


The CHOICE™ PTT/Mic. offers the added functionality of a Bluetooth Wireless PTT (sold separately), providing versatility for various applications. Ideal for use on steering wheels, handlebars, molly vests, belt loops, firearms, or any other convenient location, the Wireless PTT seamlessly integrates into your daily setup.



SPARK GUARD PROTECTION

PREMIUM SPEAKER MICROPHONE MEMBRANE COVER

PROTECTS SPEAKER AGAINST HOT METAL SHAVINGS



Speaker Microphones

Compact Size

SM1

- Dimensions: 2.1" x 1" x 2.7"
- Compact, heavy-duty design



Standard Size

SM2

- Dimensions: 2.3" x 1.1" x 3"

Passive Noise Canceling

SM2NC

- IP54 Dust & water resistant
- Heavy gauge 4.2mm cable
- Strong 360-degree rotating clip



Compact Size

SM3

- Dimensions: 2" x 1" x 2.8"
- Most economical
- Newly designed lightweight



Heavy Duty

SM4

- Dimensions: 2.4" x 1.2" x 3"
- IP55 rated/ water and dust resistant

SM4W

- Available in waterproof IP67
- No accessory jack



Mobile Palm Mic.

PM2

- Dimensions: 2.25" x .8" x 2"
- Includes mobile hang-up clip
- RJ45 connector
- IP54 rated water and dust resistant




KEVLAR
Cords on All Speaker Mics

SPEAKER MIC. 6

MULTIPLE VERSIONS

AVAILABLE IN:

WATER PROOF IP67
ACTIVE NOISE CANCELING
EMERGENCY BUTTON
EXTRA-LONG CORD
SPARK GUARD PROTECTION



Speaker Microphone 6 Options



SM6

- Compact, heavy-duty design
- IP55 rated water and dust resistant
- Dimensions: 2.25" x .8" x 2"
- Extra-Long, heavy-duty cord



SM6WLNC

- Dual Mic. Active Noise Canceling
- Extra-Long heavy-duty cord



SM6WL

- SIP67 rated/ water and dust proof same features as above SM6W
- Extra-Long heavy-duty cord



SM6WE

- Compact, heavy-duty design
- Heavy-duty, fire-retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"
- Emergency Button



SM6W

- Compact, heavy-duty design
- Heavy-duty, fire-retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"




SM7

- Great high and low volume
- IP55 water & dust resistant
- Led Indicator charging
- Volume control
- LED front light
- Replaceable lithium-ion 1500mAh battery
- Dimensions: 2.3" x 1.1 x 3"



NOISE CANCELING

PREMIUM ACCESSORIES



Mil Spec Speaker Mic. 8 Active Noise Canceling



Function and Feature

- Dual Mic. Technology
- Performance speaker with
- Integrated DSP hard/software
- For active noise cancellation
- Via multiple microphones.

Specifications

- MIL-STD810G Tested
- IP67 water protection
- Active noise cancellation
- Dual microphones
- Flame retardant
- Large swivel belt clip w/ ring
- Nexus 4 pole jack for headset
- Audio jack for earphone 3.5mm
- Large front PTT
- Side PTT
- Volume (top) toggle switch
- Green or grey front PTT
- Red Transmit LED
- Optional emergency button
- Optional function button





WIRELESS CHOICE[®]


WITH REPLACEABLE COIN CELL BATTERY



CONNECT TO OUR WIRELESS PTT.

PERFECT FOR ADDING EXTRA PTTs WHERE YOU NEED THEM.

CAPABLE OF CONNECTING MULTIPLE WIRELESS PTTs.



Wireless PTT for All Earpieces



C-Ring



Swivel



Ear Hook



Adj. D Ring



N•ear Original



Acoustic Tube



Ambient Noise Control

Available Cable Lengths

ATROC10



4 Inch Length

ATROC15



6 Inch Length

ATROC30



12 Inch Length

ATROS120



48 Inch Length





Receive Only Earpieces

Hi-Def Premium Voice

ATHDROC30-2.5 12" long 2.5mm
ATHDROC30-3.5 12" long 3.5mm



Hi-Def Premium Voice

HDIEG+ROS30-2.5 12" long 2.5mm
HDIEG+ROS30-3.5 12" long 3.5mm



Acoustic Tube

ATROC10-2.5 4" long 2.5mm
ATROC15-2.5 6" long 2.5mm
ATROC30-2.5 12" long 2.5mm
ATROC10-3.5 4" long 3.5mm
ATROC15-3.5 6" long 3.5mm
ATROC30-3.5 12" long 3.5mm
ATROS120-3.5 48" long 3.5mm



Near Ear

Single or Dual Ear

RO-360-22-2.5S 22" long 2.5mm
RO-360-22-3.5S 22" long 3.5mm
RO-360-22-2.5SD 22" long 2.5mm
RO-360-22-3.5SD 22" long 3.5mm



D-Ring

DRROC15-2.5 6" long 2.5mm
DRROC15-3.5 6" long 3.5mm
DRROC30-3.5 12" long 3.5mm



D-Ring Adjustable

DRAROC15-2.5 6" long 2.5mm
DRAROC15-3.5 6" long 3.5mm
DRAROC30-3.5 12" long 3.5mm



Ear Hook

EHROC15-2.5 6" long 2.5mm
EHROC15-3.5 6" long 3.5mm
EHROC30-3.5 12" long 3.5mm



Swivel

SWVLROC15-2.5 6" long 2.5mm
SWVLROC15-3.5 6" long 3.5mm
SWVLROC30-3.5 12" long 3.5mm



Braided Fiber Receive Only SnapLock

SL+ROS120-2.5 48" long 2.5mm
SL+ROS120-3.5 48" long 3.5mm



Ear Bud

EBROC15-2.5 6" long 2.5mm
EBROC15-3.5 6" long 3.5mm



See SnapLock System page

NEW

MICROSLIDE[®]

PERFECT ADJUSTABLE MICROSPEAKER




MICROSLIDE

PERFECT ADJUSTABLE MICROSPEAKER

HDIE


The Microslide earpiece is designed to be the most comfortable, covert, and best-sounding earpiece for 2-way radios. Simply place on your left or right ear and slide the cable for perfect in-ear microspeaker placement.



Connecting to Radio


SnapLock Option:
Seamlessly connect to your radio using a single wire or dual wire setup.

Choice PTT:
Connect to your radio with a Wireless PTT option.



Connecting to Speaker Mics

Simply plug in your earpiece directly into your speaker mic. audio port.



Wax Filter Included

HDIE earbuds are designed with ear wax filtration to help protect your microspeaker and give longevity to your earpiece.



MICROSLIDE HIGHLIGHT CHECKLIST:

- ✓ Best Value In The Market
- ✓ Adjustable Over The Ear Design
- ✓ Hi-definition Microspeaker
- ✓ Ultra Light & Low Profile
- ✓ 100% Environmental Awareness
- ✓ 0% Ear Fatigue



SnapLock Knowles In-Ear



SL-HDIE

- 100% Situational Awareness Tip
- In-Ear Micro Speaker Technology
- Knowles Speaker
- Zero Ear Fatigue

SnapLock Knowles In-Ear

SL-HDIEF



- Foam Ear Tip
- Mechanical On/Off Ambient Noise Control
- Knowles Speaker
- Engineered for premium voice quality

SnapLock Acoustic Tube Knowles Speaker

SL-ATHD+

- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



SnapLock Knowles In-Ear

SL-HD+IEG

- Gel Ear Tip
- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality



Hi-Def Receive Only Acoustic Tube

Item: ATHDROC30-3.5

- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Replaceable Acoustic Tube Screw In
- Comes with Three Ear Tips



Hi-Def Snaplock Acoustic Tube


Item: SL-ATHD+

- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Works with all Snaplock Base PTT Systems
- Replaceable Acoustic Tube Screw In
- Comes with Three Ear Tips



Hi-Def In Ear Receive Only


Situational Awareness Ear-Tip Included



Specifications

Impedance	1200 + 10%	(At 1.0kHz/0.2V)
Rated Input Power	1mW	
Sensitivity	103db_3db @ 1KHz	
Frequency Response	100Hz~10KHz	

Included Parts



C-Ring Boom Noise Canceling Mic.

NEW

C-Ring Earpiece With In-line PTT


ITEM # CR1WBOOM

- Flexible boom microphone
- Enhanced Comfort (Left or Right Ear)
- Industry-Leading 30lb pull-strength
- Connectors available for most radio models



Hi-Def - Lightweight In-Ear Headset

HSHD+IEF



Premium Speakers
Engineered specifically
for Voice Quality

- Hi-Def premium sound
- Noise Canceling Mic.
- Lightweight and comfortable
- Adjustable behind the head band
- Metal Headband
- Braided Fiber Cloth cords

Noise Canceling Boom Mic.



Premium Noise Reduction Foam Tips

24.9 ~ 48.4 dB Reduction



Mechanical On-Off to Ambient Noise



Over & Behind Head - Lightweight Headsets



Single Side Lightweight Over the Head Headset

HSS

- In-line PTT
- Adjustable over the head band
- Metal Headband



Double Side Lightweight Over the Head Headset

HSD

- In-line PTT
- Adjustable over the head band
- Metal Headband



Lightweight Behind the Head Headset

HSB

- In-line PTT
- Lightweight wire frame



Lightweight H/D Behind the Head Headset

HSBHD

- In-line round mushroom PTT with coil cable
- Adjustable head strap
- Heavy duty wire frame

Lightweight Headsets

Hard Hat Headset

HS2

- Lightweight heavy duty hard hat headset
- High quality noise canceling microphone
- Super comfortable with foam ear pads
- Clips right into hard hat
- PTT on earmuff
- Detachable PTT Cable
- Cable sold separately HS4-CAB
- Works with all radio models



Noise Canceling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24db - 33db

Lightweight Padded Headset

HS9

- Adjustable over head dual ear muffs
- High quality noise canceling microphone
- Quality foam ear pad, replaceable
- Detachable coil cable
- Cable sold separately HS5-CAB
- Works with all radio models



Noise Canceling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24db - 33db



Over & Behind Head - Lightweight Headsets

Lightweight Flex Headset

HS3

- Lightweight heavy duty hard hat headset
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise canceling dual-diaphragm microphone
- Foam Replaceable earmuff pads
- Detachable coil cable
- Cable sold separately HS5-CAB
- Works with all radio models



Noise Canceling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24db - 33db

Lightweight Flex Headset

HS3G

- Lightweight and tight collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise canceling dual-diaphragm microphone
- Foam Replaceable earmuff pads
- Detachable coil cable
- Cable sold separately HS5-CAB
- Works with all radio models



Noise Canceling Boom Mics | Premium Molded Foam Ear Pads | SNR Rating 24db - 33db

Heavy Duty Headsets

Single Muff Headset

HS1

- Adjustable over head dual ear muffs
- High quality noise canceling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS5-CAB
- Works with all radio models



HS-PTTCAB

Noise Canceling Boom Mics | Premium Molded Gel Ear Pads | SNR Rating 24db - 33db

Dual Muff Headset

HS1

- Adjustable over head dual ear muffs
- High quality noise canceling microphone
- Molded gel ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS5-CAB
- Works with all radio models



HS-PTTCAB

Noise Canceling Boom Mics | Premium Molded Gel Ear Pads | SNR Rating 24db - 33db



Heavy Duty Headsets - Behind The Head

PTT in Cable Headset

HS5

- Behind The Head Headset
- Adjustable head band accommodates headgear
- Coil Cable sold separately HS5-CAB, NX-CAB

Available Colors



PTT on Earmuff Headset

HS4

- Premium molded gel ear pads
- Includes spare boom mic. shield
- Flexible boom mic.
- Microphones are noise canceling/directional mic.
- SNR rating 33db H=33db M=32db L=24dB

Available Colors



Volume and PTT on Headset

HS8

- Behind The Head Headset
- Adjustable head band accommodates headgear
- Volume control on right ear cup
- Push-to-talk on left ear cup
- Cable connector on both ear cups
- Coil Cable sold separately HS5-CAB



HIROSE QUICK DISCONNECT



AVAILABLE FOR **ALL**
EARPIECE OPTIONS

HIROSE ADAPTERS AVAILABLE
FOR ALL MULTI-PIN RADIO MODELS

Hirose™ Quick Disconnect Adapters & Accessories

Allowing users to quickly attach and detach accessories



Includes PTT and 3.5mm
Accessory Port
AD-M3-HIROSE



Motorola Radios
AD-M15-HIROSE



Motorola
MOTOTRBO Radios
AD-M12-HIROSE



Kenwood Radios
AD-K1-HIROSE

Multiple Adapter Options



Motorola
AD-M12-M



Motorola
AD-M15-M



Kenwood
AD-K1-K

PREMIUM 12 BANK CHARGER FOR

KENWOOD PKT23



Enhance your charging capabilities with our 12 Unit Charger—an indispensable accessory designed to optimize your communication setup. Elevate your charging experience as this robust charger ensures that your Kenwood PKT23 radios are consistently powered for uninterrupted communication.

Includes free custom labeling



1 Year Warranty:

Experience peace of mind, backed by our commitment to quality and durability. This charging solution comes with a 1-year warranty, ensuring your investment is protected.



Compact Design:

Experience excellence with this 12 unit charger – boasting a compact design, premium components, and superior craftsmanship.



Best Value in the Market:

Premium quality meets affordability. National Two Way is dedicated to delivering the best value on the market.

Features

- Smart Reader - Automatically measures battery voltage for proper charging requirements
- Wall Mountable
- Green LED shows power to the charging cup
- Solid blue light on your radio indicates the radio is charging
- Blue light on the radio turns off when radio is fully charged



Chargers



Single Unit Rapid Charger

CH1B

- Rapidly charges up to 95% of Battery capacity then trickle charges the last 5% per cup
- Colored Charging Indicator Lights
- Smart Reader - Automatically measures battery voltage for proper charging requirement
- Wall Mountable
- 1 Year Warranty



6 Bank Square Charger

CH6BS

- Rapidly charges up to 95% of Battery capacity then trickle charges the last 5% per cup
- Colored Charging Indicator Lights
- Smart Reader - Automatically measures battery voltage for proper charging requirement
- Wall Mountable
- 1 Year Warranty



10 Bank Square Charger

CH10BS

- Rapidly charges up to 95% of Battery capacity then trickle charges the last 5% per cup
- Colored Charging Indicator Lights
- Smart Reader - Automatically measures battery voltage for proper charging requirement
- Wall Mountable
- 1 Year Warranty

Acoustic Tube Ear Tips & Parts



Tan/Black
Clear 1, 2, 3
10 or 100 Pack
ETIP



Molded Ear Tips
Black/Clear/Pink
S,M, L, Right/Left
EMB, EMC, EMF



Ear Fin Tips
S,M, L, Right/Left
EFIN




Two and Thre Flang Tip
ETIP2-C, ETIP3-C



Hi-Def Ear Tip
ETIPHDG-LLR



Premium
Noise Reduction Ear Tip
24~48 dB
1,10 or 100 Pack
ETIP-FOAM



Premium Noise
Reduction Ear Tips
24~48 dB
ETIP-FOAM & Plug



YELLERS Noise
Reduction ear tip
1,10 or 100 pack
YELLERS



Adjustable D-Ring 2
Pack/10 Pack
DRATIP



EMEGPAD Gel Pad
For: HS1, HS4, HS5,
HS7, HS8



HSLWEP Earpad
HSS & HSD



Acoustic Tube
Replacement Kit
ATCOMPSET



Acoustic Tube
& Clear Tips
C4TUBESET



Clear Tips Surgical
Tubing with Clear Tips
B4TUBESET



Acoustic Tube only
Clear/Black
TUBE, TUBE




Cable Clip
CLIP



Clip 2.0-3.8mm cable
CLIPA



ATHD Clip
ATHDCLP



Acoustic Surgical
Tubing with Clear Tips
TUBESET



Acoustic Tube to Clip
Connector - Black
B4JOINTB



Acoustic Tube to
Ear Tip Elbow
LJOINT




Acoustic Tube
Clip - Black
B4CLIPB



Wired Finger PTT
FPPT




USB-MICRO Cable



Speaker Mic. 7
Replacement Battery
SM7BAT

Headset Mic. Foams & Ear Pads



Ear Hook 10 Pack
ESSB-10-Black



MICMB Mic. Sponge
1 Pack/10 Pack
For: HS1, HS2, HS3, HS3G, HS9,
HSS, HSBHD & HSD



MICLB Mic. Sponge
1 pack/10 pack
HS4, HS5, HS7, HS8



Adjustable D-Ring 2
Pack/10 Pack
DRATIP



EMEGPAD Gel Pad
For: HS1, HS4, HS5,
HS7, HS8



HSLWEP Earpad
HSS & HSD



Cable Clip
CLIP



Clip 2.0-3.8mm cable
CLIPA




ATHD Clip
ATHDCLP



Wired Finger PTT
FPPT



USB-MICRO Cable



Speaker Mic. 7
Replacement Battery
SM7BAT

Adapters & Hirose

Adapters



AD-M12-M
Motorola



AD-M15-M
Motorola



AD-M4-M
Motorola



AD-M5-3.5
Motorola



AD-K1-K
Kenwood



AD-Y3-FL3.5
Vertex



ADC-Y3-FL3.5
Vertex

CALL FOR OPTIONS ON NON-US-STOCKED ADAPTERS

Hirose



AD-M3-HIROSE
Motorola



AD-M15-HIROSE
Motorola



AD-M12-HIROSE
Motorola



AD-K1-HIROSE
Kenwood

Battery & Speaker Mic. Clips

Battery Clips



BC1 Clip
CP110 & RDU2080



BC2 Clip
CP200, Motorola
XPR6550



BC3 Clip
HT750 & HT1250



BC4 Clip
Motorola XPR6550



BC5 Clip
Motorola XPR3500 & XPR7550

CALL FOR OPTIONS ON NON-US-STOCKED CLIPS

Speaker Mic. Clips



Replacement Clip
SM2CLIP



Replacement Clip
SM3CLIP



Replacement Clip
SM6CLIP



Replacement Clip
PMCLIP




Image	Part no.	Works With Radio Models:
	M	Works with: BearCom - BC10, BC90, BC95, BC120, BC130, BC250D, BC300D BlackBox - BlackBox Plus.






Image	Part no.	Works With Radio Models:
	K	Works with: BearCom - BC200
	S3A	Works with BearCom: BC1000
	S3B	Works with BearCom: BC100






Image	Part no.	Works With Radio Models:
	M5	Works with DigaTalk+: DTP9850
	K	Works with DigaTalk+: DTP9750
	KM	Works with DigaTalk+: DTP8750, DTP8700





Image	Part no.	Works With Radio Models:
	M3	Works with EF Johnson: Viking VP600, VP900, 5100 ES, 51SL
	K1	Works with EF Johnson: Viking 5000 Series- VP5230, VP5330, VP5430 Viking 6000 Series- VP6230, VP6330, VP6430







Image	Part no.	Works With Radio Models:
	HR2	Works with L3Harris: P5300/5400/5500 Series- P5350, P5370, P5450, P5470, P5550, P5570, P7300 Series - P7370, P7350 XG Series - XG-15P, XG-25P, XG-75P
	HR3	Works with L3Harris: XG100P, XL185P, XL200P
	H6	Works with L3Harris: HDP100, HDP150, HDP250 Momentum
	H7	Works with L3Harris: HDP-250



Image	Part no.	Works With Radio Models:
	H4	Works with Hytera: Business Digital- BD502i, BD552i, BD612i PD4 Series- PD402i, PD412i, PD482i PD5 Series- PD502i, PD562i Analog- TC-508, TC-518, TC-580, TC-610, TC-700
	H5	Works with Hytera: TC320
	H6	Works with Hytera: PD7 Series- PD702i, PD752i, PD782i, PD792i-Ex PD982i
	H7	Works with Hytera: H Series- HP602, HP682, HP702, HP782 PD6 Series- PD602i, PD662i, PD682i X1pi, X1e
	H8	Works with Hytera: BD3 Series, PD3 Series, HALO - PNC370, X1e, X1pi
	H9	Works with Hytera: PNC360, PNC380
	M4	Works with Hytera: TC-980
	M5	Works with Hytera: TC-610P, TC700P, TC-780, TC-780P, TC-780M



Image	Part no.	Works With Radio Models:
	S2B	Works with Icom: Analog- F200 Network- IP100H, IP501H Aviation- A25
	S3A	Works with Icom: Analog- F3011/F4011, F3001/F4001 IDAS- F1100D/F2100D, F1100DT/F2100DT, F3210D/F4210D, F3230D/F4230D
	S3B	Works with Icom: IC-F1000 Series, IC-F2000 Series, IC-F1100D Series, IC-F2100D Series, IC-F3031S, IC-F3230DT/DS, IC-F4031S, IC-F 4230DT/DS, IC-F31W/41W, V88. BearCom BC1000 - Waterproof
	I2	Works with Icom: Analog- F3161/F4161 [9 Pin]
	I4	Works with Icom: F3260, F3261D, F3360D, F3400D, F4261D, F3263, F4360D, F4400DT, F5400, F6400D, DS, F7010, F7020, F7040, F7210T, F9011, F9021, F52D, F62D SAT-100
	I5	Works with Icom: IP-110H



Image	Part no.	Works With Radio Models:
	K	Works with Kenwood: NEXEDGE/DMR- NX-1202/1302, NX-3220/3320/3420, NX-P1000 DMR Only- TK-D240/TK-D340 Analog- TK-2312/3312, TK-2317/3317, TK-2360/3260, TK-2400/3400 ProTalk- TK-2400/3400, TK-3230DX
	K1	Works with Kenwood: NEXEDGE/DMR/P25- NX-3200/3300, NX-5200/5300/5400 NEXEDGE Only- NX-210G, NX-200G/300 P25 Only- TK-5220/5320
	K2	Works with Kenwood: PKT-23
	K5	Works with Kenwood: NX-P500
	KM	Works with Kenwood: Kenwood Mobile Palm Mic



Image	Part no.	Works With Radio Models:
	M	Works with Maxon: TJ-3100V, TJ-3400U, TJ-3400UM, TP-5116, TP-5416, TP-8102, TP-8402, TP-8000BT Series, TP-8000R Series, TS-2116, TS-2416, TS-3116, TS-3416
	M12	Works with Maxon: TPD-1116, TPD-1416, TPD-1124, TPD-1424
	M14	Works with Maxon: TPD-8124, TPD-8424
	K	Works with Maxon: TS-3416K



Image	Part no.	Works With Radio Models:
	S1	Works with Midland: CXT Series: CXT240, CXT250, CXT280 GXT Series: GXT200, GXT225, GXT250, GXT255, GXT300, GXT310, GXT325, GXT400, GXT444, GXT450, GXT500, GXT550, GXT555, GXT565, GXT600, GXT635, GXT650, GXT656, GXT661, GXT700, GXT710, GXT720, GXT735, GXT740, GXT745, GXT750, GXT756, GXT757, GXT760, GXT771, GXT775, GXT781, GXT785, GXT789, GXT795, GXT797, GXT799, GXT800, GXT808, GXT850, GXT881, GXT900, GXT950, GXT991, GXT1000, GXT1050, GXT1091, GXT2000, GXT2050, GXT5000 LXT Series: LXT80, LXT100, LXT101, LXT110, LXT112, LXT114, LXT118, LXT210, LXT216, LXT276, LXT300, LXT303, LXT305, LXT310, LXT312, LXT315, LXT316, LXT318, LXT319, LXT320, LXT322, LXT323, LXT324, LXT326, LXT328, LXT330, LXT335, LXT340, LXT345, LXT350, LXT360, LXT365, LXT376, LXT380, LXT385, LXT410, LXT420, LXT435, LXT440, LXT460, LXT480, LXT490, LXT500, LXT535, LXT560, LXT600 XT Series: XT14, XT18, XT20, XT22, XT24, XT25, XT26, XT27, XT28, XT30, XT511 X-Talker Series: T31VP, T51VP3, T55VP3, T61VP3, T65VP3, T71VP3 and T75VP3



Image	Part no.	Works With Radio Models:
	M	Works with Motorola Solutions: Commercial- R2, CP100d, CP200d, CP200, CP200XLS, CP185, BPR40, BPR40d On-Site Business Radios- CLS1110, CLS1410, VL50, DTR Series, R2 Series
	MA	Works with Motorola Solutions: On-Site Business Radios CLS1110, CLS1410, CP100d, DLR1020, DLR1060, DTR410, DTR550, DTR600, DTR700, RDM2020, RDM2080D, RDU2020, RDU2080D, RDU4100, RDU4160D, RDV2020, RDV2080D, RDV5100, RMM2050, RMM2050, RMU2040, RMU2080D, RMV2080, XU1100, XU2100, XU2600, XV1100, XV2100
	M3	Works with Motorola Solutions: Astro25- XTS1500, XTS2500, XTS3000, XTS3500, XTS5000
	M4	Works with Motorola Solutions: Waris Series- HT750/1250/1550, MTX
	M5	Works with Motorola Solutions: Waris Series- EX500/560/600
	M12	Works with Motorola Solutions: APX Series- 8000, 7000, 6000, 4000, 3000, 1000, 900, SRX 2200, NEXT MOTOTRBO Legacy Series- XPR6300/6350/6380, XPR6500/6550/6580 MOTOTRBO Series- XPR7350/7550/7580, XPR7350e/7550e/7580e
	M14	Works with Motorola Solutions: MOTOTRBO Series - CURVE, DLR1020, DLR1060, SL300, SL7550/7580/7590, SL3500e, SL7550e/7580e/7590e WAVE- TLK100, TLK110, Nitro- SLN1000
	M15	Works with Motorola Solutions: MOTOTRBO Series- XPR3300/3500, XPR3300e/3500e
	M17	Works with Motorola Solutions: CLP1010, CLP1040, CLP1060
	M19	Works with Motorola Solutions: CLP110e, CLP1010e, CLP1080e
	M20	Works with Motorola Solutions: R7 (Global), ION (Global), MXP600
	MM	Works with Motorola Solutions: XPR5000 Series Mobile Radio Palm Mic
	MM1	Works with Motorola Solutions: CM200d, CM300d, XPR 2500 Mobile Radio Palm Mic WAVE - TLK150



Image	Part no.	Works With Radio Models:
	Y3	Works with Vertex Standard Motorola Solutions: VX-261, eVX531, eVX534, eVX539, VX10, VX130, VX160, VX180, VX210, VX210A, VX230, VX231, VX261, VX264, VX300, VX350, VX351, VX354, VX400, VX410, VX420, VX451, VX454, VX459
	Y5	Works with Vertex Standard Motorola Solutions: VTX-720, VDX720, VX820, VX821, VX824, VX829, VX871, VX874, VX879, VX920, VX921, VX924, VX971, VX974, VX979
	Y6	Works with Vertex Standard Motorola Solutions: eVX- S24



Image	Part no.	Works With Radio Models:
	BK2	Works with Bendix King: KNG: KNG2
	K	Works with Relm: RPU416, RPV516, RPU499, RPV599X, RPV516A, RPV599A Plus, RPU416A, RPU499A Plus, RPU4200
	M5	Works with Relm: RPV3000/3600/RPU3000/3600/3300C, RPV7200/7500
	M	Works with Relm: RP6500



Image	Part no.	Works With Radio Models:
	H4	Works with RCA: PRODIGI Digital - XR150, BR150, BR850, RDR1520, RDR2325, RDR2385, RDR2500, RDR2550, RDR2620, RDR2650, RDR2680
	M	Works with RCA: Commercial Analog Portable - BR200



Image	Part no.	Works With Radio Models:
	SP2	Works with Sepura: SC230 Series, STP8000, STP9000, STP9100, STP9200



Image	Part no.	Works With Radio Models:
	SN	Works with Sonim: XP5S, XP8



Image	Part no.	Works With Radio Models:
	TA	Works with Tait: TP7100/8100 series, TP9300/9400 series, Harris TP3300/TP3350, TP9500/TP9600



Image	Part no.	Works With Radio Models:
	M Digital Ready	Works with Tekk: XU100, XV100, XU1000, XV1000



VISIT US AT [N2W.COM](https://www.n2w.com)

877-692-5330

RAPIDRESPONSE@[N2W.COM](mailto:RAPIDRESPONSE@N2W.COM)

